MADE IN U.S.A.
GENUINE
Trussell
74 CL

Uma inornata
Cole # 6

Uma inornata

SPECIES Uma inornata

SACK NO. Y5 SEX ♀ AGE ad

WEIGHT(gms) SNOUT-VENT LENGTH (mm) 77

DATE Aug. 26, 1958 SPEEDOMETER 11139

LOCALITY 3 mi. W. of Thousand Palms, Riverside Co., Calif.

STANDARD TIME 0755 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%)

WIND DIRECTION W ALTITUDE(ft) 460

WIND VELOCITY(miles/hour) 1 TAG NO. 1

AIR TEMPERATURE 40.2 °C 104.4 °F

ROAD TEMPERATURE 52 °C 125.6 °F

SOIL SURFACE TEMPERATURE 55 °C 131 °F

CLOACAL TEMPERATURE °C °F

HABITAT open sandy desert.

REMARKS: sitting on road.

SPECIES *Uma inornata*

SACK NO. Y9 SEX ♀ AGE ad.

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 77

DATE Aug. 26, 1958 SPEEDOMETER 11139

LOCALITY 3 mi. W. of Thousand Palms, Riverside Co., Calif.

STANDARD TIME 0750 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) ________

WIND DIRECTION W ALTITUDE(ft) 460

WIND VELOCITY(miles/hour) 1 TAG NO. 2

AIR TEMPERATURE 40.2 °C 104.4 °F

ROAD TEMPERATURE 52 °C 125.6 °F

SOIL SURFACE TEMPERATURE 55 °C 131 °F

CLOACAL TEMPERATURE ________ °C ________ °F

HABITAT flat desert with sandy hummocks.

REMARKS: ________

Digitized by the Internet Archive
in 2017 with funding from
CLIR

https://archive.org/details/code6umainortata00mayh

SPECIES *Uma inornata*

SACK NO. Y6 SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 75

DATE Aug. 26, 1958 SPEEDOMETER 11139

LOCALITY 3 mi. W. of Thousand Palms, Riverside Co., Calif.

STANDARD TIME 0800 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION W ALTITUDE(ft) 460

WIND VELOCITY(miles/hour) 1 TAG NO. 3

AIR TEMPERATURE 40.2 °C 104.4 °F

ROAD TEMPERATURE 52 °C 125.6 °F

SOIL SURFACE TEMPERATURE 55 °C 131 °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT flat desert with sandy hummocks.

REMARKS: ______

SPECIES: Uma inornata

SACK NO. Y 6 SEX ♀ AGE ad.

WEIGHT (gms) ____ SNOUT-VENT LENGTH (mm) 84

DATE: Aug. 26, 1958 SPEEDOMETER 11139

LOCALITY 3 mi. W. of Thousand Palms, Riverside Co., Calif.

STANDARD TIME 0820 CLOUDS none

MOON (day) RELATIVE HUMIDITY (%) ____

WIND DIRECTION W ALTITUDE (ft) 460

WIND VELOCITY (miles/hour) 1 TAG NO. 4

AIR TEMPERATURE 40.2 °C 104.4 °F

ROAD TEMPERATURE 52 °C 125.6 °F

SOIL SURFACE TEMPERATURE 55 °C 131 °F

CLOACAL TEMPERATURE ____ °C ____ °F

HABITAT flat desert with sandy hummocks.

REMARKS: ____

SPECIES Uma inornata

SACK NO. Y9 SEX ♀ AGE ad.

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 85

DATE Aug. 26, 1958 SPEEDOMETER 11139

LOCALITY 3 mi. W. of Thousand Palms,
Riverside Co., Calif.

STANDARD TIME 0850 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) [illegible]

WIND DIRECTION W ALTITUDE(ft) 460

WIND VELOCITY(miles/hour) 1 TAG NO. 5

AIR TEMPERATURE 40.2 °C 104.4 °F

ROAD TEMPERATURE 52 °C 125.6 °F

SOIL SURFACE TEMPERATURE 55 °C 131 °F

CLOACAL TEMPERATURE ________ °C ________ °F

HABITAT flat desert with sandy hummocks.

REMARKS: ________

SPECIES: Uma inornata

SACK NO. Y 11 SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 72

DATE Aug. 26, 1958 SPEEDOMETER 11139

LOCALITY 3 mi. W. of Thousand Palms, Riverside Co., Calif.

STANDARD TIME 0855 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION W ALTITUDE(ft) 460

WIND VELOCITY(miles/hour) 1 BAG NO. 6

AIR TEMPERATURE 40.2 °C 104.4 °F

ROAD TEMPERATURE 52 °C 125.6 °F

SOIL SURFACE TEMPERATURE 55 °C 131 °F

CLOACAL TEMPERATURE 41.2 °C 106.2 °F

HABITAT flat desert with sandy hummocks.

REMARKS: ______

SPECIES Uma inornata

SACK NO. Y 9 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 100

DATE Aug. 26, 1958 SPEEDOMETER 11139

LOCALITY 3 mi. W. of Thousand Palms, Riverside Co., Calif.

STANDARD TIME 0900 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) ______

WIND DIRECTION W ALTITUDE(ft) 460

WIND VELOCITY(miles/hour) 1 TAG NO. 7

AIR TEMPERATURE 40.2 °C 104.4 °F

ROAD TEMPERATURE 52 °C 125.6 °F

SOIL SURFACE TEMPERATURE 55 °C 131 °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT flat desert with sandy hummocks.

REMARKS: ______

Uma inornata

R Z ♀ ad.

79

Sept. 19, 1958 12770

3 mi. W. of 1000 Palms, Riverside Co., Calif.

0750 none

— ~5

none 460

0 8

31.2

36.6

Creosote desert with drift sand.

1st one seen this morning — 5 of us have been looking since 0630.

Uma inornata

R 16 ♀ ad.

75

Sept. 19, 1958 12770

3 mi. W. of 1000 Palms, Riverside Co., Calif.

0758 none

— ~5

NW 460

3 9

31. 2

36. 6

Driftsand at base of creosote bushes.

Uma inornata

R5 ♀ ad.

81

Sept. 19, 1958 12770

3 mi. W. of 1000 Palms, Riverside Co., Calif.

0806 none

— ~5

NW 460

3 10

32

~~32~~

41.5

Sand at base of creosote bushes.

Uma inornata

R5 ♂ ad.

91

Sept. 19, 1958 12770

3 mi. W. of 1000 Palms, Riverside Co., Calif.

0819 none

— ~5

NW 460

3 11

32.6

44.8

Sand at base of creosote bushes.

Uma inornata

Y6 ♀ ad.

78

Sept. 19, 1958 12770

3 mi. W. of 1000 Palms, Riverside Co., Calif.

0821 none

— ~5

NW 460

3 12

32.6

45

Sand at base of creosote bushes.

SPECIES Uma inornata

SACK NO. Y 6 SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 73

DATE Sept. 19, 1958 SPEEDOMETER 12770

LOCALITY 3 mi. W. of 1000 Palms, Riverside Co., Calif.

STANDARD TIME 0835 CLOUDS none

MOON — RELATIVE HUMIDITY(%) ~5

WIND DIRECTION NW ALTITUDE(ft) 460

WIND VELOCITY(miles/hour) 3 TAG NO. 13

AIR TEMPERATURE 33.4 °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE 46.1 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Sand at base of creosote bushes.

REMARKS: ______

Uma inornata

Y 2 ♀ ad.

78

Sept. 19, 1958 12770

3 mi. W. of 1000 Palms, Riverside Co., Calif.

0846 none

— ~5

NW 460

3 14

34.1

47.2

Sand at base of creosote bushes.

SPECIES Uma inornata

SACK NO. Y2 SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 79

DATE Sept. 19, 1958 SPEEDOMETER 12770

LOCALITY 3 mi. W. of 1000 Palms, Riverside Co., Calif.

STANDARD TIME 0858 CLOUDS none

MOON — RELATIVE HUMIDITY(%) ~5

WIND DIRECTION NW ALTITUDE(ft) 460

WIND VELOCITY(miles/hour) 3 TAG NO. 15

AIR TEMPERATURE 35.6 °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE 51 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Sand at base of creosote bushes.

REMARKS: ______

SPECIES Uma inornata

SACK NO. Y 2 SEX ♀ AGE AD

WEIGHT (gms) ______ SNOUT-VENT LENGTH (mm) 79

DATE 9/19/58 SPEEDOMETER 12270

LOCALITY 3 mi W. of [redacted] 1000 Palms,
Riverside Co., Calif

STANDARD TIME 0846 CLOUDS None

MOON — RELATIVE HUMIDITY (%) ~ 5

WIND DIRECTION NW ALTITUDE (ft) ~~FG~~ 460

WIND VELOCITY (miles/hour) 3 [illegible] 16

AIR TEMPERATURE 34.1 °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE 47.2 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Sand at base of Creosote bushes

REMARKS: ______

Uma inornata

Y5 ♂ ad.

90

Sept. 19, 1958 12770

3 mi. W. of 1000 Palms, Riverside Co., Calif.

0908 none

— ~5

NW – 460

3 17

37.6 °C

°C

55

°C

Sand at base of creosote bushes.

SPECIES Uma inornata

SACK NO. Y 5 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 86

DATE Sept. 19, 1958 SPEEDOMETER 12770

LOCALITY 3 mi. W. of 1000 Palms, Riverside Co., Calif.

STANDARD TIME 0915 CLOUDS none

MOON — RELATIVE HUMIDITY(%) ~5

WIND DIRECTION NW ALTITUDE(ft) 460

WIND VELOCITY(miles/hour) 3 TAG NO. 18

AIR TEMPERATURE 37.6 °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE 55 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Sand dunes at base of creosote bushes.

REMARKS: ______

Uma inornata

Y 11 ♂ ad.

87

Oct. 24, 1958 13362

4 mi. W. of 1000 Palms, Riverside Co., Calif.

0855 50%

—

none 475

0 19

19.8

27

Sand around creosote bushes.

Rather uncoordinated movements, but still active.

Uma inornata

R6 ♂ ad.

Oct. 24, 1958 13362

4 mi. W. of 1000 Palms, Riverside Co., Calif.

0915 50%

—

W 475

8-13 20

20.8

26

Sand around creosote bushes.

Uma inornata

R5 ♂ ad.

94

Oct. 24, 1958 13362

4 mi. W. of 1000 Palms, Riverside Co., Calif.

0925 50%

—

W 475

8-13 21

21.9

23.9

Sand around creosote bushes.

SPECIES *Uma inornata*

Y1 ♂ ad.

116

Oct. 24, 1958 13372

5 mi. N.W. of 1000 Palms, Riverside Co., Calif.

1030 75%

—

W 600

14 22

24.2

32.6

Sand at base of bushes on "Granddaddy Dune."

Uma inornata

R9 ♂ ad.

98

Oct. 24, 1958 13372

5 mi. N.W. of 1000 Palms, Riverside Co., Calif.

1045 75%

—

W 600

14 23

24.2

32.6

35

Sand at base of vegetation.

Uma inornata

R10 ♂ ad.

106

Oct. 24, 1958 13372

5 mi. N.W. of 1000 Palms, Riverside Co., Calif.

1110 75%

—

W 600

14 24

23.3

32

Sand at base of vegetation.

Uma inornata

R7 ♀ ad.

74

Oct. 24, 1958 13372

5 mi. N.W. of 1000 Palms, Riverside Co., Calif.

1025 75%

—

W 600

14 25

24.2

32.6

Sand around creosote bushes, on "Granddaddy Dune."

Uma inornata

R8 ♀ ad.

83

Oct. 24, 1958 13372

5 mi. N.W. of 1000 Palms, Riverside Co., Calif.

1033 75%

—

W 600

14 26

24.2

32.6

Sand at base of bushes.

Uma inornata

Y2 ♀ ad.

88

Oct. 24, 1958 13372

5 mi. N.W. of 1000 Palms,
Riverside Co., Calif.

1039 75%

—

W 600

14 27

24.2

32.6

Sand at base of plants, on "Granddaddy Dune".

Very emaciated. - Blood on mouth
There is a black, misshapen object in the left oviduct. It measures 29.25 mm in length X 10.25 mm at its widest point. Upon opening the oviduct the object was found to be an egg. The shell

of the egg has apparently fused to the tissue of the oviduct. The contents of the egg consist of a hard, partially eroded mass of yolk material. Microscopic examination shows a small spot, which apparently is made up of blood vessels, to be on the yolk mass. Other than this there is nothing on the yolk to indicate development of an embryo.

Uma inornata

Y9 ♀ ad.

83

Oct. 24, 1958 13372

5 mi. N.W. of 1000 Palms, Riverside Co., Calif.

1130 75%

—

W 600

14 28

23.3

32

Sand at base of vegetation.

Uma inornata

Y9 ♀ ad.

73

Oct. 24, 1958 13372

5 mi. N.W. of 1000 Palms, Riverside Co., Calif.

1130 75%

—

W 600

14 29

23.3

32

Sand at base of vegetation.

Uma inornata

R 11 ♀ ad.

Oct. 24, 1958 13372

5 mi. N.W. of 1000 Palms, Riverside Co., Calif.

1138 75%

———

W 600

14 30

23.3

32

Sand at base of vegetation.

SPECIES *Uma inornata*

SACK NO. Y O, SEX ♂ AGE ad.

WEIGHT (gms) ______ SNOUT-VENT LENGTH (mm) 84

DATE Jan. 20, 1959 STOMACH ——

LOCALITY Rancho Mirage, Riverside Co., Calif.

STANDARD TIME A M CLOUDS ——

MOON —— RELATIVE HUMIDITY (%) ——

WIND DIRECTION —— ALTITUDE (ft) 240

WIND VELOCITY (miles/hour) —— TAG NO. 31

AIR TEMPERATURE ______ °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE ______ °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT 3 inches beneath sand

REMARKS: Dug out by Lloyd Tevis

SPECIES Uma inornata

SACK NO. B 2 SEX ♂ AGE imm.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) ______

DATE Jan. 25, 1959 SPEEDOMETER 19165

LOCALITY 5 mi. N.W. 1000 Palms, Riverside Co., Calif.

STANDARD TIME 1335 CLOUDS none

MOON —— RELATIVE HUMIDITY(%) 24

WIND DIRECTION S.E. ALTITUDE(ft) 560

WIND VELOCITY(miles/hour) 8-10 TAG NO. 32

AIR TEMPERATURE 24 °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE 30.5 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT sand dune

REMARKS: on Granddaddy Dune

SPECIES Uma inornata

SACK NO. Y5 SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 118

DATE Feb. 20, 1959 SPEEDOMETER 14383

LOCALITY 5 mi. N.W. of 1000 Palms, Riverside Co., Calif.

STANDARD TIME 1550 CLOUDS none

MOON —— RELATIVE HUMIDITY(%) 30

WIND DIRECTION none ALTITUDE(ft) 460

WIND VELOCITY (miles/hour) ______ TAG NO. 33

AIR TEMPERATURE 20.4 °C ______ °F

Air (1 cm) ~~ROAD~~ TEMPERATURE 22 °C ______ °F

SOIL SURFACE TEMPERATURE 29.8 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Sand at base of creosote bush.

REMARKS: ______

Uma inornata

Y2 ♂ ad.

120

Mar. 6, 1959 289

LOCALITY 5 mi. N.W. of 1000 Palms,
Riverside Co., Calif.

STANDARD TIME 1148 CLOUDS none

— —

S.E. 600

(gusts to 15)
8-10 34

(1cm)
26.0

Air (30")
TEMPERATURE 24.0

SOIL SURFACE TEMPERATURE 38.5 °C

CLOACAL TEMPERATURE °C

HABITAT sand dune

REMARKS "Kicked out" of sand

Uma inornata

YO ♀ ad.

87

Mar. 6, 1959 289

5 mi. N.W. of 1000 Palms,
Riverside Co., Calif.

1108 none

— —

S.E. 600

3-6 35

(1 cm) 27.0

Air (30") 23.0

36.5

CLOACAL TEMPERATURE

sand dune

Uma inornata

Y 0, ♀ ad.

90

Mar. 6, 1959 289

LOCALITY 5 mi. N. W. of 1000 Palms, Riverside Co., Calif.

STANDARD TIME 1155 CLOUDS none

— —

S. E. 600

(gusts to 15)
8–10 36

(1 cm)
26.0

Air (30")
~~SOIL~~ TEMPERATURE 24.0 °C

SOIL SURFACE TEMPERATURE 38.5 °C

CLOACAL TEMPERATURE °C

HABITAT sand dune

REMARKS

Uma inornata

R7 ♀ ad.

79

Mar. 6, 1959 289

LOCALITY 5 mi. N.W. of 1000 Palms,
Riverside Co., Calif.

STANDARD TIME 1200 CLOUDS none

— —

S. E. 600

(gusts to 15)
8–10 37

(1cm)
26.0

Air (30")
~~SHADE~~ TEMPERATURE 24.0 °C °F

SOIL SURFACE TEMPERATURE 38.5 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT sand dune

REMARKS:

Uma inornata

B34 ♀ imm.

49

Mar. 6, 1959 289

LOCALITY 5 mi. N.W. of 1000 Palms,
Riverside Co., Calif.

STANDARD TIME 1125 CLOUDS none

— —

S.E. 600

(gusts to 15)
8-10 38

(1cm)
26.0

Air (30")
TEMPERATURE 24.0 °C

SOIL SURFACE TEMPERATURE 38.5 °C

CLOACAL TEMPERATURE °C

HABITAT sand dune

REMARKS

SPECIES *Uma inornata*

SACK NO. B34 SEX ♀ AGE imm.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 49

DATE Mar. 6, 1959 SPEEDOMETER 289

LOCALITY 5 mi. N.W. of 1000 Palms, Riverside Co., Calif.

STANDARD TIME 1051 CLOUDS none

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft) 600

WIND VELOCITY(miles/hour) 1-5 TAG NO. 39

AIR TEMPERATURE (1 cm) 27.0 °C ______ °F

Air (30") ~~ROAD~~ TEMPERATURE 23.0 °C ______ °F

SOIL SURFACE TEMPERATURE 36.5 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT sand dune

REMARKS: ______

SPECIES *Uma inornata*

SACK NO. *B16* SEX *♂* AGE *imm.*

WEIGHT(gms ______ SNOUT-VENT LENGTH(mm) *53*

DATE *Mar. 6, 1959* SPEEDOMETER *289*

LOCALITY *5 mi. N.W. of 1000 Palms, Riverside Co., Calif.*

STANDARD TIME *1030* CLOUDS *none*

MOON *—* RELATIVE HUMIDITY(%) *—*

WIND DIRECTION *S.E.* ALTITUDE(ft) *600*

WIND VELOCITY(miles/hour) *1-5* TAG NO. *40*

AIR TEMPERATURE *(1cm) 27.0* °C ______ °F

~~ROAD~~ *Air (30")* TEMPERATURE *23.0* °C ______ °F

SOIL SURFACE TEMPERATURE *36.5* °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT *sand dune*

REMARKS: ______

Uma inornata

BB ♂ imm.

54

Mar. 6, 1959 289

LOCALITY 5 mi. N.W. of 1000 Palms, Riverside Co., Calif.

STANDARD TIME 1118 none

— —

S.E. 600

8–10 (gusts to 15) 41

(1cm.) 27.0

Air (30") TEMPERATURE 23.0 °C °F

SOIL SURFACE TEMPERATURE 36.5 °C °F

CLOACAL TEMPERATURE °C °F

HABITAT sand dune

SPECIES Uma inornata NUMBER 42

CONTAINER NO. R8 SEX ♂ AGE ad. PARASITE #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 107

DATE Apr. 29, 1959 SPEEDOMETER 6127

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0955 CLOUDS(% overcast) none

MOON — RELATIVE HUMIDITY(%) 20

WIND DIRECTION none ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 0 ROAD TEMP. °C

AIR TEMP (30 in) 39.4 °C AIR TEMP(1 cm) 40.8 °C

SAND SURFACE TEMP 51.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS:

SPECIES Uma inornata FIELD NO. 43

CONTAINER NO. Y12 SEX ♀ AGE ad. TOE-CLIP #

WEIGHT (gm) SNOUT-VENT LENGTH (mm) 83

DATE Apr. 30, 1959 SPEEDOMETER 39022

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0900 CLOUDS (% overcast) 40

MOON — RELATIVE HUMIDITY (%) 50

WIND DIRECTION N.W. ALTITUDE (ft.) 600

WIND VELOCITY (mi./hr.) 25-30 ROAD TEMP.

AIR TEMP (30 in) 24.0 °C AIR TEMP (1 cm) 25.6

SOIL SURFACE TEMP 36.8 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS: kicked out of sand

~~Specimen lost~~

SPECIES Uma inornata FIELD NO. 44

CATALOGUE NO. y10 SEX ♂ AGE ad. WEIGHT

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 108

DATE Apr. 30, 1959 SPEEDOMETER 39022

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0920 CLOUDS(% overcast) 40

MOON — RELATIVE HUMIDITY(%) 45

WIND DIRECTION N.W. ALTITUDE(Ft.) 600

WIND VELOCITY(mi./hr.) 25-30 ROAD TEMP. °C

AIR TEMP (30 in) 24.0 °C AIR TEMP(1 cm) 26.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS:

SPECIES *Uma inornata*

SACK NO. — SEX ♂ AGE ad.

WEIGHT(gms ____ SNOUT-VENT LENGTH(mm) 93

DATE Spring, 1958 SPEEDOMETER ____

LOCALITY 1 mi. W. of 1000 Palms, Riverside Co., Calif.

STANDARD TIME ____ CLOUDS ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft) 600

WIND VELOCITY(miles/hour) ____ TAG NO. 45

AIR TEMPERATURE ____ °C ____ °F

ROAD TEMPERATURE ____ °C ____ °F

SOIL SURFACE TEMPERATURE ____ °C ____ °F

CLOACAL TEMPERATURE ____ °C ____ °F

HABITAT Sand in creosote bush scrub

REMARKS: No other data available.
Autopsied 4 May 1959 for reproductive organs.

Uma inornata 46

R 12 ♂ ad.

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 107

DATE Apr. 29, 1959 6127

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1005 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 20

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 0 ROAD TEMP. °C

AIR TEMP (30 cm) 38.4 °C AIR TEMP(1 cm) 40.0 °C

SURFACE TEMP 51.5 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS:

[illegible] Uma inornata [illegible] 47

CONTAINER NO. R19 SEX ♂ AGE ad. TOE-CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 93

DATE Apr. 29, 1959 SPEEDOMETER 6127

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1120 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 17

WIND DIRECTION S. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

[illegible] TEMP (30 in) 38.6 °C AIR TEMP(1 cm) 41.0 °C

[illegible] TEMP 56.0 °C CLOACAL TEMP °C

[illegible] TEMP °C

[illegible] creosote bush scrub (sandy)

[illegible] Kicked out of sand

SPECIES Uma inornata 48

CONTAINER NO. R22 ♀ ad.

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 78

DATE Apr. 29, 1959 6127

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0957 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 20

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 0 ROAD TEMP. °C

AIR TEMP 39.4 °C AIR TEMP(1 cm) 40.8 °C

SURFACE TEMP 51.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS:

Uma inornata 49

y5 ♀ ad.

86

Apr. 30, 1959 39022

5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0700 CLOUDS(% overcast) 80

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 25 ROAD TEMP. °C

AIR TEMP (30 cm) 19.2 °C AIR TEMP(1 cm) 20.0 °C

SOIL SURFACE TEMP 20.2 °C CLOACAL TEMP 21.2 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS: kicked out of sand

SPECIES Uma inornata FIELD NO. 50

CONTAINER NO. R13 SEX ♀ AGE ad. TOE-CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE Apr. 30, 1959 SPECIMEN NO. 39022

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0845 CLOUDS(% overcast) 40

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 25 ROAD TEMP

AIR TEMP (30 in) 24.0 °C AIR TEMP(1 cm) 25.6

SOIL SURFACE TEMP 36.8 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS:

Uma inornata 51

Y13 ♀ ad.

SNOUT-VENT LENGTH 75

Apr. 29, 1959 6127

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

RECORDED TIME 1030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 20

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 3-5 ROAD TEMP. °C

AIR TEMP (30 cm) 38.4 °C AIR TEMP(1 cm) 40.0 °C

SURFACE TEMP 51.5 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS:

Uma inornata 52

Rb ♀ ad.

79

DATE Apr. 29, 1959 6127

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1205 CLOUDS(% overcast) 0

— RELATIVE HUMIDITY(%) 13

WIND DIRECTION S. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 8-10 ROAD TEMP. °C

AIR TEMP (30 in) 38.6 °C AIR TEMP(1 cm) 41.0 °C

SURFACE TEMP 56.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS kicked out of sand

SPECIES Uma inornata 53

CONTAINER NO. y13 SEX ♂ AGE ad.

WEIGHT (gms) ______ SNOUT-VENT LENGTH (mm) 110

DATE Apr. 29, 1959 SPECIMEN NO. 6127

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1030 CLOUDS (% overcast) 0

MOON — RELATIVE HUMIDITY (%) 20

WIND DIRECTION S.E. ALTITUDE (ft.) 600

WIND VELOCITY (mi./hr.) 3-5 ROAD TEMP ______ °C

AIR TEMP (30 in) 38.4 °C AIR TEMP (1 cm) 40.0 °C

SOIL SURFACE TEMP 51.5 °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C

HABITAT creosote bush scrub (sandy)

REMARKS:

Uma inornata 54

R17 ♂ ad.

SNOUT-VENT LENGTH(mm) 112

Apr. 30, 1959 39022

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0820 CLOUDS(% overcast) 40

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 25 ROAD TEMP.

AIR TEMP (30 in) 24.0 °C AIR TEMP(1 cm) 25.6

SOIL SURFACE TEMP 36.8 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS: kicked out of sand

SPECIES Uma inornata 55

CONTAINER NO. B24 SEX ♀ AGE imm. TOE-CLIP #

WEIGHT(gm.) SNOUT-VENT LENGTH(mm.) 55

DATE Apr. 30, 1959 SPEEDGRAPHIC 39022

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0910 CLOUDS(% overcast) 40

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 25-30 ROAD TEMP.

AIR TEMP (30 in) 24.0 °C AIR TEMP(1 cm) 25.6

SOIL SURFACE TEMP 36.8 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS:

Uma inornata 56

CATALOG NO. ~~BIG~~ B25 SEX ♀ AGE imm

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 60

DATE Apr. 29, 1959 SPECIMEN NO. 6127

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1018 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 20

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 0 ROAD TEMP. °C

AIR TEMP (30 cm) 38.4 °C AIR TEMP(1 cm) 40.0 °C

SURFACE TEMP 51.5 °C CLOACAL TEMP °C

SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS:

SPECIES Uma inornata NO. 57

CATALOG NO. Y9 SEX ♂ AGE ad. PHOTO-CLIP #

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 108

DATE Apr. 30, 1959 SPEEDOMETER 39022

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0912 CLOUDS(% overcast) 40

WIND — RELATIVE HUMIDITY(%) 50

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 25-30 ROAD TEMP

AIR TEMP (30 in) 24.0 °C AIR TEMP(1 cm) 25.8

SOIL SURFACE TEMP 37.9 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS: kicked out of sand

Uma inornata 58

R6 ♂ ad(?)

SNOUT-VENT LENGTH(mm.) 69

DATE Apr. 29, 1959 SPECIMEN NO. 6127

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1142 CLOUDS(% overcast) 0

— RELATIVE HUMIDITY(%) 16

WIND DIRECTION none ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 0 ROAD TEMP. °C

AIR TEMP (30 in) 38.6 °C AIR TEMP(1 cm) 41.0 °C

SURFACE TEMP 56.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sandy)

REMARKS: Kicked out of the sand

SPECIES *Uma inornata* ~~[illegible]~~ 59

CONTAINER NO. Y12 SEX ♂ AGE imm.

WEIGHT(gm) ______ SNOUT-VENT LENGTH(mm) ~~[illegible]~~ 62

DATE Apr. 30, 1959 SPEEDOMETER 39022

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0903 CLOUDS(% overcast) 40

WIND — RELATIVE HUMIDITY(%) 50

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 25-30 ROAD TEMP. ______

AIR TEMP (30 in) 24.0 °C AIR TEMP(1 cm) 25.6

SOIL SURFACE TEMP 36.8 °C CLOACAL TEMP ______

ROCK SURFACE TEMP ______ °C

HABITAT creosote bush scrub (sandy)

REMARKS: ______

SPECIES Uma inornata NUMBER 60

ACCESSION NO. B33 SEX ♂ AGE imm.

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 57

DATE May 29, 1959 EPHEMERIS 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1002 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(Ft.) 600

WIND VELOCITY(mi./hr.) 9-12 ROAD TEMP.

AIR TEMP (30 in) 25-5 °C AIR TEMP(1 cm) 29.5

SAND SURFACE TEMP 39.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub.

REMARKS: seen on surface of hummock - on sunny side.

SPECIES Uma inornata CAT. NO. 61

CONTAINER NO. R20 SEX ♂ AGE ad. TIME OUT

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 108

DATE May 29, 1959 SPEEDOMETER 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0910 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 13-23 ROAD TEMP.

AIR TEMP (30 in) 25.5 °C AIR TEMP(1 cm) 29.5

[illegible] SURFACE TEMP 43.8 °C CLOACAL TEMP

[illegible] SURFACE TEMP °C

HABITAT Creosote bush scrub (sand)

REMARKS Kicked out of sand on sunny side of dune near base of Larrea divericata.

SPECIES Uma inornata CAT. NO. 62

CONTAINER NO. R2 SEX ♂ AGE ad. [illegible]

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 105

DATE May 29, 1959 SPEEDOMETER 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0945 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 13-23 ROAD TEMP.

AIR TEMP (30 in) 25.5 °C AIR TEMP(1 cm) 29.5

SOIL SURFACE TEMP 39.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub. (sand)

REMARKS Kicked out of sand at top of hummock

SPECIES Uma inornata 63

CATALOGUE NO. Y2 SEX ♂ AGE ad. SPECIMEN NO.

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 107

DATE May 29, 1959 SPEEDOMETER 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0957 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 13-23 ROAD TEMP.

AIR TEMP (30 in) 25.5 °C AIR TEMP(1 cm) 29.5

SAND SURFACE TEMP 39.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub.

REMARKS:

SPECIES Uma inornata CAT. NO. 64

SPECIMEN NO. R7 SEX ♂ AGE ad. TAIL-CUT

LENGTH(mm.) SNOUT-VENT LENGTH(mm.) 108

DATE May 29, 1959 SPEEDOMETER 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1011 CLOUDS(% overcast) 0

SUN — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 9–12 ROAD TEMP.

AIR TEMP (30 in) 25.5 °C AIR TEMP(1 cm) 29.5

SAND SURFACE TEMP 39.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub.

REMARKS: Kicked out of sand on sunny side of hummock.

SPECIES Uma inornata TAG NO. 65

SPECIMEN NO. Y11 SEX ♂ AGE ad. TAIL-CUT ?

WEIGHT(gm) ______ SNOUT-VENT LENGTH(mm) 104

DATE May 29, 1959 [illegible] 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1050 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 8-10 ROAD TEMP. ______

AIR TEMP (30 in) 28.2 °C AIR TEMP(1 cm) 33.5

SAND SURFACE TEMP 46.0 °C CLOACAL TEMP ______

ROCK SURFACE TEMP ______ °C

HABITAT sand in creosote bush scrub.

REMARKS: kicked out of sand on shady side of hummock.

(Scorpion in its digestive tract.)

Uma inornata 66

R9 ~~B22~~ ♂ ad.

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 109

May 29, 1959 SPEEDOMETER 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1128 CLOUDS(% overcast) 0

— RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 8-10 ROAD TEMP.

AIR TEMP 28.2 °C AIR TEMP 33.5

SURFACE TEMP 46.0 °C CLOACAL TEMP

SURFACE TEMP °C

HABITAT sand in creosote bush scrub.

REMARKS: sitting on sand on shady side of hummock.

SPECIES Uma inornata FIELD NO. 67

CONTAINER NO. B33 SEX ♀ AGE imm. TIME-DEATH

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 54

DATE May 29, 1959 SPEEDOMETER 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0850 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 13 - 23 ROAD TEMP.

AIR TEMP (30 in) 25.5 °C AIR TEMP(1 cm) 29.5

SOIL SURFACE TEMP 43.8 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS seen on surface

SPECIES Uma inornata FIELD NO. 68

CONTAINER NO. R2 SEX ♀ AGE ad. TOE-CLIP #

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 79

DATE May 29, 1959 SPEEDOMETER 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 8-10 ROAD TEMP.

AIR TEMP (30 in) 28.2 °C AIR TEMP(1 cm) 33.5

SUN SURFACE TEMP 46.0 °C CLOACAL TEMP

SHADE SURFACE TEMP °C

HABITAT sand in creosote bush scrub.

REMARKS: kicked out of sand on sunny side of hummock.

SPECIES Uma inornata FIELD NO. 69

CONTAINER NO. Y2 SEX ♀ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 94

DATE May 29, 1959 SPEEDOMETER 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1035 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. ______

AIR TEMP (30 in) 28.2 °C AIR TEMP(1 cm) 33.5

SOIL SURFACE TEMP 46.0 °C CLOACAL TEMP ______

SHADE SURFACE TEMP ______ °C

HABITAT creosote bush scrub (sand)

REMARKS sitting in sun on top of hummack.

Uma inornata 70

R7 ♀ ad.

SNOUT-VENT LENGTH(mm) 80

DATE May 29, 1959 SPEEDOMETER 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1017 CLOUDS(% overcast) 0

— RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 9-12 ROAD TEMP.

AIR TEMP (30 in) 25.5 °C AIR TEMP(1 cm) 29.5

SURFACE TEMP 39.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub.

REMARKS: kicked out of sand on sunny side of hummock.

Uma inornata 71

R20 ♀ ad.

86

May 29, 1959 7639

5 mi. N.W. of 1000 Palms

Riverside STATE Calif.

STANDARD TIME 1015 CLOUDS(% overcast) 0

— RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 9-12 ROAD TEMP.

AIR TEMP (30 in) 25.5 °C AIR TEMP(1 cm) 29.5

SURFACE TEMP 39.5 °C CLOACAL TEMP

SUBSURFACE TEMP °C

HABITAT sand in creosote bush scrub.

REMARKS: kicked out of sand on sunny side of hummock

[illegible] Uma inornata [illegible] 72

[illegible] y11 [illegible] ♀ [illegible] ad. [illegible]

WEIGHT(gm) ______ SNOUT-VENT LENGTH(mm) 88

DATE May 29, 1959 SPEEDOMETER 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1005 CLOUDS(% overcast) 0

[illegible] — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 9-12 ROAD TEMP. ______

AIR TEMP (30 in) 25.5 °C AIR TEMP(1 cm) 29.5

[illegible] SURFACE TEMP 39.5 °C CLOACAL TEMP ______

[illegible] SURFACE TEMP ______ °C

HABITAT sand in creosote bush scrub

REMARKS: seen on surface

SPECIES Uma inornata FIELD NO. 73

CONTAINER NO. R21 SEX ♀ AGE ad. COLLECTED BY

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE May 29, 1959 SPEEDOMETER 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif

STANDARD TIME 0916 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 13-23 ROAD TEMP.

AIR TEMP (30 in) 25.5 °C AIR TEMP(1 cm) 29.5

SURFACE TEMP 43.8 °C CLOACAL TEMP

SUB-SURFACE TEMP °C

HABITAT creosote bush scrub (sand)

REMARKS seen on surface

SPECIES Uma inornata TAG NO. 74

CONTAINER NO. B27 SEX ♀ AGE imm. TOE-CLIP #

WEIGHT (gm) SNOUT-VENT LENGTH (mm) 52

DATE May 29, 1959 SPEEDOMETER 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1110 CLOUDS (% overcast) 0

MOON — RELATIVE HUMIDITY (%) —

WIND DIRECTION N.W. ALTITUDE (ft.) 600

WIND VELOCITY (mi./hr.) 8-10 ROAD TEMP.

AIR TEMP (30 in) 28.2 °C AIR TEMP (1 cm) 33.5

SOIL SURFACE TEMP 46.0 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub.

REMARKS: Seen on surface in sun (on hummock)

Uma inornata 75

B22 ♀ imm

65

May 29, 1959 SPEEDOMETER 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1100 CLOUDS(% overcast) 0

— RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 8-10 ROAD TEMP.

AIR TEMP (30 in) 28.2 °C AIR TEMP(1 cm) 33.5

SURFACE TEMP 46.0 °C CLOACAL TEMP

SURFACE TEMP °C

HABITAT

REMARKS: seen on surface of hummock in sun.

[illegible] Uma inornata TAG NO. 76

[illegible] R2 SEX ♂ AGE imm

[illegible] SNOUT-VENT LENGTH(mm) 66

[illegible] May 29, 1959 SPEEDOMETER 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1127 CLOUDS(% overcast) 0

[illegible] — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 8-10 ROAD TEMP.

AIR TEMP (30 in) 28.2 °C AIR TEMP(1 cm) 33.5

SURFACE TEMP 46.0 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS:

SPECIES Uma inornata CAT. NO. 77

CONTAINER NO. B19 SEX ♂ AGE imm. TOE-CLIPS

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 49

DATE May 29, 1959 SPEEDOMETER 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0950 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 13-23 ROAD TEMP. °C

AIR TEMP (30 in) 25.5 °C AIR TEMP(1 cm) 29.5

SOIL SURFACE TEMP 39.5 °C CLOACAL TEMP

SOIL SUBSURFACE TEMP °C

HABITAT sand in creosote bush scrub.

REMARKS seen sitting on surface in hummock

SPECIES Uma inornata 78

CONTAINER NO. B27 SEX ♂ AGE imm.

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 56

DATE May 29, 1959 SPEEDOMETER 7639

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0925 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 13-23 ROAD TEMP.

AIR TEMP (30 in) 25.5 °C AIR TEMP(1 cm) 29.5

SURFACE TEMP 39.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT Creosote bush scrub. (sand)

REMARKS kicked out of sand at top of hummock, on sunny side.

SPECIES Uma inornata [illegible] 79

CONTAINER NO. B12 SEX ♀ AGE imm. [illegible]

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 56

DATE May 24, 1959 [illegible] 3248

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0900 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 19–28 (gusts >35) ROAD TEMP. ______

[illegible] TEMP (30 in) 19.0 °C AIR TEMP(1 cm) 20.8

[illegible] SURFACE TEMP 27.6 °C CLOACAL TEMP ______

[illegible] SURFACE TEMP ______ °C

HABITAT creosote bush scrub

[illegible] seen on surface

~~Lost enroute home.~~

SPECIES *Uma inornata* TAG NO. 80

CONTAINER NO. R17 SEX ♀ AGE ad. TOE-CLIPS

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE June 12, 1959 SPEEDOMETER 4076

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0645 CLOUDS (percent) 0

MOON — RELATIVE HUMIDITY(%) 28

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 6-7 ROAD TEMP.

AIR TEMP (30 in) 31.2 °C AIR TEMP(1 cm) 30.0

SOIL SURFACE TEMP 30.9 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting on surface in shade of creosote bush.

SPECIES *Uma inornata* [illegible] NO. 81

CONTAINER NO. Y6 SEX ♀ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE June 12, 1959 SPEEDOMETER 4076

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0705 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 28

WIND DIRECTION S. E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 6-7 ROAD TEMP.

AIR TEMP(30 in) 31.2 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP 30.9 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting in shade of creosote bush

SPECIES Uma inornata TAG. NO. 82

CONTAINER NO. R19 SEX ♀ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 90

DATE June 12, 1959 SPEEDOMETER 4076

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0710 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 28

WIND DIRECTION S. E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 6-7 ROAD TEMP.

AIR TEMP(30 in) 31.2 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP 30.9 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: seen coming out of a hole beneath a creosote bush.

SPECIES Uma inornata TAG. NO. 83

CATALOG NO. R14 SEX ♀ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 88

DATE June 12, 1959 SPEEDOMETER 4076

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0738 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 25

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-9 ROAD TEMP.

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 34.5 °C

SOIL SURFACE TEMP 35.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting in shade of creosote bush

SPECIES Uma inornata CAT. NO. 84

DESIGNATION NO. R7 SEX ♀ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 86

DATE June 12, 1959 SPEEDOMETER 4076

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0815 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 23

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-9 ROAD TEMP.

AIR TEMP(30 in) 36.2 °C AIR TEMP(1 cm) 38.2 °C

SOIL SURFACE TEMP 42.8 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting in shade of creosote bush

Uma inornata 85

R18 ♀ ad.

77

June 12, 1959 4076

5 mi. N.W. of 1000 Palms

Riverside

0840 0

— 20

S.E. 600

7-9

36.2 38.2

42.8

sand in creosote bush scrub

SPECIES Uma inornata TAG. NO. 86[illegible]

CONTAINER NO. B15 SEX ♂ AGE imm. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 47

DATE June 12, 1959 SPEEDOMETER 4076

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0725 CLOUDS (% Overcast) 0

NOON — RELATIVE HUMIDITY(%) 27

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-9 ROAD TEMP.

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 34.5 °C

SOIL SURFACE TEMP 35.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting in shade of creosote bush

Uma inornata 87

R20 ♀ ad.

83

June 12, 1959 407b

5 mi. N.W. of 1000 Palms

Riverside

0920 0

— 18

S. E. 600

7-9

38.5 42.4

52.0

sand in creosote bush scrub

sitting in shade of creosote bush

SPECIES Uma inornata TAG NO. 88

CATALOGUE NO. R15 SEX ♀ AGE ad. TOL CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 90

DATE June 12, 1959 SPEEDOMETER 4076

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0950 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 14

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-9 ROAD TEMP.

AIR TEMP(30 in) 39.5 °C AIR TEMP(1 cm) 42.5 °C

SOIL SURFACE TEMP 55.5 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: Reddish orange on sides.
sitting in shade of creosote bush.

19.3 x 11.0 }
18.4 x 10.4 } eggs in Left oviduct.

No eggs in Rt.

2 corpora lutea in left ovary; none in right ovary.

Uma inornata 89

R22 ♀ ad.

87

June 12, 1959 4076

5 mi. N.W. of 1000 Palms

Riverside

0910 0

— 18

S.E. 600

7-9

38.5 42.4

52.0

sand in creosote bush scrub

sitting in shade of creosote bush

SPECIES Uma inornata TAG. NO. 90

CONTAINER NO. B16 SEX ♀ AGE imm TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 47

DATE June 12, 1959 SPEEDOMETER 4076

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0743 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 25

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-9 ROAD TEMP.

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 34.5 °C

SOIL SURFACE TEMP 35.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting in shade of creosote bush

SPECIES Uma inornata TAG NO. 91

CONTAINER NO. B24 SEX ♀ AGE imm TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 58

DATE June 12, 1959 SPEEDOMETER 4076

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0750 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 23

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-9 ROAD TEMP.

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 34.5 °C

SOIL SURFACE TEMP 35.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting in shade of creosote bush

SPECIES Uma inornata ACC. NO. 92

CONTAINER NO. B 2 SEX ♀ AGE imm. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 54

DATE June 12, 1959 SPEEDOMETER 4076

LOCALITY 5 mi. N. W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0730 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 25

WIND DIRECTION S. E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7–9 ROAD TEMP.

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 34.5 °C

SOIL SURFACE TEMP 35.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting in sun on open sand.

SPECIES Uma inornata TAG. NO. 93

CONTAINER NO. B15 SEX ♀ AGE imm TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 62

DATE June 12, 1959 SPEEDOMETER 4076

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0805 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 23

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7–9 ROAD TEMP.

AIR TEMP(30 in) 36.2 °C AIR TEMP(1 cm) 38.2 °C

SOIL SURFACE TEMP 42.8 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting in shade of Dalea emoryi

SPECIES *Uma inornata* TAG. NO. 94

CONTAINER NO. B9 SEX ♀ AGE imm TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 59

DATE June 12, 1959 SPEEDOMETER 4076

LOCALITY 5 mi N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0735 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 25

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-9 ROAD TEMP.

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 34.5 °C

SOIL SURFACE TEMP 35.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: 1 enlarged post-anal scale (left side)
sitting in shade of creosote bush
still has trace of umbilical scar.

SPECIES Uma inornata TAG. NO. 95

CONTAINER NO. R12 SEX ♀(?) AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE June 12, 1959 SPEEDOMETER 4076

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0755 CLOUDS (% Overcast) 0

NOON — RELATIVE HUMIDITY(%) 23

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-9 ROAD TEMP.

AIR TEMP(30 in) 36.2 °C AIR TEMP(1 cm) 38.2 °C

SOIL SURFACE TEMP 42.8 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting in shade of creosote bush.
slightly enlarged post-anal scales.

SPECIES Uma inornata CAT. NO. 96

CONTAINER NO. Y8 SEX ♂ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 105

DATE June 12, 1959 SPEEDOMETER 4076

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0720 CLOUDS (% Overcast) 0

MOON – RELATIVE HUMIDITY(%) 27

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-9 ROAD TEMP.

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 34.5 °C

SOIL SURFACE TEMP 35.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting on shady side of creosote hummock with sun hitting the animal obliquely.

Uma inornata 97

R14 ♂ ad.

102

June 12, 1959 4076

5 mi. N.W. of 1000 Palms

Riverside

0905 0

— 18

S.E. 600

7-9

38.5 42.4

52.0

sand in creosote bush scrub

sitting in shade of creosote bush

Uma inornata 98

R20 ♂ ad

87

June 12, 1959 4076

5 mi. N.W. of 1000 Palms

Riverside

0912 0

— 18

S.E. 600

7-9

38.5 42.4

52.0

sand in creosote bush scrub

sitting in shade of creosote bush

SPECIES *Uma inornata* TAG NO. 99

CONTAINER NO. B24 SEX ♂ AGE imm TOE-CLIP #

WEIGHT (gms) SNOUT-VENT LENGTH (mm) 56

DATE June 12, 1959 SPEEDOMETER 4076

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0650 CLOUDS (% overcast) 0

MOON — RELATIVE HUMIDITY (%) 28

WIND DIRECTION S.E. ALTITUDE (ft.) 600

WIND VELOCITY (mi./hr.) 6-7 ROAD TEMP.

AIR TEMP (30 in) 31.2 °C AIR TEMP (1 cm) 30.0

SOIL SURFACE TEMP 30.9 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS:

SPECIES Uma inornata TAG NO. 100

CONTAINER NO. 816 SEX ♂ AGE imm. TOE-CLIP #

WEIGHT(gm) SNOUT-VENT LENGTH(mm) 54

DATE June 12, 1959 SPEEDOMETER 4076

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0655 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 28

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 6-7 ROAD TEMP.

AIR TEMP (30 in) 31.2 °C AIR TEMP(1 cm) 30.0

SOIL SURFACE TEMP 30.9 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting on sunny side of creosote bush hummock

SPECIES *Uma inornata* TAG NO. 101

COLLECTION NO. B2 SEX ♂ AGE imm. TOE-CLIPS

WEIGHT (gm) SNOUT-VENT LENGTH (mm) 59

DATE June 12, 1959 THERMOMETER 4076

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 0640 CLOUDS (% overcast) 0

MOON — RELATIVE HUMIDITY (%) 28

WIND DIRECTION S.E. ALTITUDE (ft.) 600

WIND VELOCITY (mi/hr) 6-7 ROAD TEMP.

AIR TEMP (30 in) 31.2 °C AIR TEMP (1 cm) 30.0

SOIL SURFACE TEMP 30.9 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub.

REMARKS: sitting on open sand in sun

SPECIES Uma inornata TAG. NO. 102

CONTAINER NO. B 26 SEX ♂ AGE imm TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 57

DATE June 12, 1959 SPEEDOMETER 4076

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0725 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 27

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-9 ROAD TEMP. ____

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 34.5 °C

SOIL SURFACE TEMP 35.0 °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C

HABITAT sand in creosote bush scrub

REMARKS: sitting on sunny side of creosote hummock.

Uma inornata 103

— ♂ imm.

53

June 23, 1959

8 mi. N.W. of 1000 Palms

Riverside

250

creosote bush scrub.

no other data available.

SPECIES Uma inornata TAG. NO. 104

CONTAINER NO. B26 SEX ♂ AGE imm. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 67

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0705 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 45

WIND DIRECTION S.E. ALTITUDE(ft.) 680

WIND VELOCITY (mi/hr) 5-7 ROAD TEMP.

AIR TEMP(30 in) 31.9 °C AIR TEMP(1 cm) 33.8 °C

SOIL SURFACE TEMP 39.5 °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting in sun on sand. No chase.

SPECIES Uma inornata TAG. NO. 105

CONTAINER NO. B 27 SEX ♀ AGE ad. ~~imm. ?~~ TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0707 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 45

WIND DIRECTION S. E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 5-7 ROAD TEMP.

AIR TEMP(30 in) 31.9 °C AIR TEMP(1 cm) 33.8 °C

SOIL SURFACE TEMP 39.5 °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting on sand in sun. No chase.
Two slightly enlarged post-anal scales.

Uma inornata 106

B 9 ♀ imm.

53

July 20, 1959 8199

5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0720 CLOUDS (% OVERCAST) 0

— RELATIVE HUMIDITY(%) 44

S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-10 ROAD TEMP.

AIR TEMP(30 in) 31.9 °C AIR TEMP(1 cm) 33.8 °C

SOIL SURFACE TEMP 39.5 °C CLOACAL TEMP 38.5 °C

°C

HABITAT sand in creosote bush scrub

REMARKS: sitting in sun on sand. No chase.

SPECIES Uma inornata TAG. NO. 107

CONTAINER NO. 834 SEX ♂ AGE imm TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 63

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0725 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 44

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-10 ROAD TEMP.

AIR TEMP(30 in) 31.9 °C AIR TEMP(1 cm) 33.8 °C

SOIL SURFACE TEMP 39.5 °C CLOACAL TEMP 39.0 °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting on a small sand hummock. No chase.

SPECIES Uma inornata TAG. NO. 108

CONTAINER NO. R5 SEX ♀ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 90

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0756 CLOUDS (% Overcast) 0

MOON – RELATIVE HUMIDITY(%) 44

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-10 ROAD TEMP.

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 37.2 °C

ROCK SURFACE TEMP ~~39.0~~ °C

HABITAT sand in creosote bush scrub

REMARKS: Kicked out of sand dune. Slight chase. Trace of orange on the sides. Tail thin.

SPECIES Uma inornata TAG. NO. 109

CONTAINER NO. Y13 SEX ♀ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 89

DATE July 21, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0800 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 43

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-10 ROAD TEMP.

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 39.4 °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting on top of dune. Slight chase.

SPECIES Uma inornata TAG. NO. 110

CONTAINER NO. R 4 SEX ♀ AGE ad (?) TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0820 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 43

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-10 ROAD TEMP.

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub.

REMARKS: No chase. Sitting in sun on dune.

SPECIES Uma inornata TAG. NO. 111

CONTAINER NO. R2 SEX ♀ AGE ad.(?) TOE CLIP #

WEIGHT (gms) SNOUT-VENT LENGTH (mm) 82

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0840 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY (%) 43

WIND DIRECTION S.E. ALTITUDE (ft.) 600

WIND VELOCITY (mi/hr) 5-7 ROAD TEMP.

AIR TEMP (30 in) 33.5 °C AIR TEMP (1 cm) 36.5 °C

SOIL SURFACE TEMP 42.6 °C CLOACAL TEMP 40.1 °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting in sun on dune. No chase.

SPECIES *Uma inornata* CAT. NO. 112

CATALOGUE NO. R18 SEX ♀ AGE ad. TOE CLIP # 2

WEIGHT(gm) ______ SNOUT-VENT LENGTH(mm) 78

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0843 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 43

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 5-7 ROAD TEMP. ______

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 42.6 °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP ______ °C

HABITAT sand in creosote bush scrub

REMARKS: sitting in shade on a dune. No chase.

SPECIES Uma inornata TAG. NO. 113

CONTAINER NO. B33 SEX ♂ AGE imm. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 62

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0850 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 43

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 5-7 ROAD TEMP.

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 42.6 °C CLOACAL TEMP 39.5 °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting in sun on a dune. No chase.

SPECIES Uma inornata TAG. NO. 114

CONTAINER NO. 828 SEX ♂ AGE imm. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 59

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0900 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 42

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 5-7 ROAD TEMP.

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 42.6 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand in creosote bush scrub

REMARKS: sitting in deep shade on a dune.

SPECIES Uma inornata TAG. NO. 115

CONTAINER NO. R22 SEX ♀ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0905 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 42

WIND DIRECTION S. E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 5-7 ROAD TEMP.

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 42.6 °C CLOACAL TEMP 41.7 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting on dune in sun. No chase.

SPECIES Uma inornata TAG. NO. 116

CONTAINER NO. R18 SEX ♀ AGE ad. TOE CLIP # 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 83

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N. W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0915 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 42

WIND DIRECTION S. E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 5-7 ROAD TEMP. ______

AIR TEMP(30 in) 33.4 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 50.8 °C CLOACAL TEMP 41.3 °C

ROCK SURFACE TEMP ______ °C

HABITAT creosote bush scrub

REMARKS: sitting in shade of creosote bush on top of small dune. No chase. Two post-anal scales very slightly enlarged.

SPECIES Uma inornata TAG. NO. 117

CONTAINER NO. Y9 SEX ♂ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 101

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0925 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 42

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 5-7 ROAD TEMP.

AIR TEMP(30 in) 33.4 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 50.8 °C CLOACAL TEMP 43.0 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: Seen running across open sand for about 50 feet.

SPECIES Uma inornata TAG. NO. 118

CONTAINER NO. Y9 SEX ♀ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0935 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 42

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-10 ROAD TEMP.

AIR TEMP(30 in) 33.4 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 50.8 °C CLOACAL TEMP 41.9 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: slight chase. Didn't see its point of origin.

SPECIES Uma inornata TAG. NO. 119

CONTAINER NO. R22 SEX ♀ AGE ad. TOE CLIP # 1

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0940 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 42

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-10 ROAD TEMP.

AIR TEMP(30 in) 33.4 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 50.8 °C CLOACAL TEMP 41.9 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: Slight chase. Sitting in sun on a small dune.

SPECIES Uma inornata TAG. NO. 120

CONTAINER NO. R2 SEX ♂ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 109

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 0950 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 42

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 7-10 ROAD TEMP.

AIR TEMP(30 in) 33.4 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 50.8 °C CLOACAL TEMP 41.8 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: No chase. Sitting in shade on a small dune.

SPECIES: Uma inornata — TAG NO.: 121

CONTAINER NO.: Y 5 — SEX: ♂ — AGE: ad. — TOE CLIP #:

WEIGHT(gms): — SNOUT-VENT LENGTH(mm): 105

DATE: July 20, 1959 — SPEEDOMETER: 8199

LOCALITY: 5 mi. N.W. of 1000 Palms

COUNTY: Riverside — CALIF.

STANDARD TIME: 1025 — CLOUDS (% Overcast): 30 (thin)

MOON: — — RELATIVE HUMIDITY(%): 41

WIND DIRECTION: S.E. — ALTITUDE(ft.): 600

WIND VELOCITY (mi/hr): 7-10 — ROAD TEMP.:

AIR TEMP(30 in): 36.0 °C — AIR TEMP(1 cm): 39.6 °C

SOIL SURFACE TEMP: 51.5 °C — CLOACAL TEMP: 41.9 °C

ROCK SURFACE TEMP: °C

HABITAT: creosote bush scrub

REMARKS: Slight chase. Point of origin unknown.

SPECIES Uma inornata TAG. NO. 122

CONTAINER NO. R 19 SEX ♀ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE July 20, 1959 SPEEDOMETER 8199

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 1030 CLOUDS (% Overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) 41

WIND DIRECTION S.E. ALTITUDE(ft.) 600

WIND VELOCITY (mi/hr) 5-7 ROAD TEMP.

AIR TEMP(30 in) 36.0 °C AIR TEMP(1 cm) 39.6 °C

SOIL SURFACE TEMP 51.5 °C CLOACAL TEMP 42.8 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in sun on open sand.
Slight chase.

Uma inornata 123

R17 ♀ ad.

76

Aug. 18, 1959 29468

5 mi. N.W. of 1000 Palms

Riverside

0745 70

— 57

N.W. 600

14-22

26.3 29.0

34.5 35.3

creosote bush scrub

sitting in sun on dune. No chase. Bright orange on sides.

Uma inornata 124

B31 ♂ imm.

55

Aug. 18, 1959 29468

5 mi. N.W. of 1000 Palms

Riverside

0825 50

— 52

N.W. 600

14-22

27.0 29.0

37.8 33.0

creosote bush scrub

25 ft. chase. Sitting in sun on sand.

Uma inornata 125

R20 ♂ ad. 103

Aug. 18, 1959 29468

5 mi. N.W. of 1000 Palms

Riverside

0855 30

— 48

N.W. 600

14-22

27.5 30.0

37.5 33.2

creosote bush scrub

60 ft. chase. Under sand in shade of creosote bush on N.W. side of dune.

Uma inornata 126

B30 ♂ imm.

60

Aug. 18, 1959 29468

5 mi. N.W. of 1000 Palms

Riverside

0905 30

— 45

N.W. 600

14-22

27.5 30.0

37.5 37.2

creosote bush scrub

under sand in shade of creosote bush. 10 ft. chase.

Uma inornata 127

B33[redacted] ♀ imm.

58

Aug. 18, 1959 29468

5 mi. N.W. of 1000 Palms

Riverside

0915 30

— 40

N.W. 600

14-22

27.5 30.0

37.5 35.6

creosote bush scrub

sitting on sand in sun. No chase.
4 enlarged post-anal scales.

Uma inornata 128

R28 ♀ ad.

73

Aug. 18, 1959 29476

3 mi. W. of 1000 Palms

Riverside

1005 30

— 44

N.W. 450

5-7

32.8 36.4

49.6 38.6

creosote bush scrub

sitting in sun on open sand. 45 ft. chase.

Uma inornata 129

R38 ♀ ad.

88

Aug. 18, 1959 29476

3 mi. W. of 1000 Palms

Riverside

1010 30

— 44

N.W. 450

5-7

32.8 36.4

49.6 38.6

creosote bush scrub

75 ft. chase. Sitting in shade of creosote bush.

SPECIES UMA INORNATA TAG. NO. 130

CONTAINER NO. R22 SEX ♂ AGE ad. TOE CLIP# 18

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 100

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0955 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 24

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 40.0 °C AIR TEMP(1 cm) 45.0 °C

SOIL SURFACE TEMP 54.5 °C CLOACAL TEMP 42.2 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in shade of creosote bush

Left Testis - 3.5 mm x 1.3 mm. Left testis preserved.

Right Testis - 3.3 " x 1.4 "

SPECIES UMA INORNATA TAG. NO. 131

CONTAINER NO. R22 SEX ♀ AGE ad. TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 82

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1015 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION S.E. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 40.0 °C AIR TEMP(1 cm) 45.0 °C

SOIL SURFACE TEMP 54.5 °C CLOACAL TEMP 38.8 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 8 FEET

REMARKS: in shade of creosote bush

Dissected in field.

SPECIES UMA INORNATA TAG. NO. 132

CONTAINER NO. 834 SEX ♂ AGE imm. TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 66

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0625 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 49

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 28.1 °C

SOIL SURFACE TEMP 28.0 °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on dune sand

SPECIES UMA INORNATA TAG. NO. 133

CONTAINER NO. R10 SEX ♀ AGE imm. TOE CLIP# 1

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 58

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0635 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) 45

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 28.1 °C

SOIL SURFACE TEMP 28.0 °C CLOACAL TEMP 32.4 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: running on dune

SPECIES UMA INORNATA TAG. NO. 134

CONTAINER NO. R45 SEX ♂ AGE imm. TOE CLIP# 16

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 69

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0930 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 24

WIND DIRECTION S. E. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. ________ °C

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 35.3 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP ________ °C SUBSTRATE TEMP ________ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun on dune

SPECIES UMA INORNATA TAG. NO. 135

CONTAINER NO. Y8 SEX ♀ AGE imm TOE CLIP # 3

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 52

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0658 CLOUDS(% overcast) 0

MOON - RELATIVE HUMIDITY(%) 41

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 28.1 °C

SOIL SURFACE TEMP 28.0 °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on dune

SPECIES ___ A. INORNATA ___ TAG. NO. 136

CONTAINER NO. R10 SEX ♀ AGE ad. TOE CLIP # 2

WEIGHT(gms) ___ SNOUT-VENT LENGTH(mm) 82

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0705 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) 40

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ___ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 28.1 °C

SOIL SURFACE TEMP 28.0 °C CLOACAL TEMP 30.7 °C

ROCK SURFACE TEMP ___ °C SUBSTRATE TEMP ___ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in partial shade beneath creosote bush.

SPECIES UMA INORNATA TAG. NO. 137

CONTAINER NO. Y8 SEX ♂ AGE imm. TOE CLIP # 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 56

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0710 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 38

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 28.1 °C

SOIL SURFACE TEMP 28.0 °C CLOACAL TEMP 36.7 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 8 FEET

REMARKS: in sun on dune

SPECIES ...MA INORNATA TAG. NO. 138

CONTAINER NO. R42 SEX ♂ AGE imm. TOE CLIP # ________

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 61

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0712 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 38

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ________ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 28.1 °C

SOIL SURFACE TEMP 28.0 °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ________ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun on dune

SPECIES UMA INORNATA TAG. NO. 139

CONTAINER NO. Y8 SEX ♀ AGE ad. TOE CLIP # 4

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 83

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0715 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 38

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 28.1 °C

SOIL SURFACE TEMP 28.0 °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on dune. Rather emaciated.

SPECIES UMA INORNATA TAG. NO. 140

CONTAINER NO. R42 SEX ♂ AGE ad. TOE CLIP # 5

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 103

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0716 CLOUDS(% overcast) 0

MOON ~ RELATIVE HUMIDITY(%) 38

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) 28.1 °C

SOIL SURFACE TEMP 28.0 °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on dune

SPECIES UMA INORNATA TAG. NO. 141

CONTAINER NO. R10 SEX ♀ AGE ad. TOE CLIP # 6

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 82

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0729 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 33

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.5 °C AIR TEMP(1 cm) 35.2 °C

SOIL SURFACE TEMP 36.4 °C CLOACAL TEMP 37.5 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: running from one dune to another.

SPECIES UMA INORNATA TAG. NO. 142

CONTAINER NO. Y8 SEX ♂ AGE ad.(?) TOE CLIP # 5

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 71

DATE AUG 1 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0745 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 33

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 35.3 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP 39.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun on open sand.

SPECIES UMA INORNATA TAG. NO. 143

CONTAINER NO. R42 SEX ♂ AGE ad. TOE CLIP # 7

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 101

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0750 CLOUDS(% overcast) 0

MOON - RELATIVE HUMIDITY(%) 32

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 35.3 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP 38.6 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: partial sun on dune

SPECIES UMA INORNATA TAG. NO. 144

CONTAINER NO. R4 SEX ♂ AGE imm. TOE CLIP# 8

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 65

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0755 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) 30

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 35.3 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP 39.5 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: in sun on top of dune.

SPECIES UMA INORNATA TAG. NO. 145

CONTAINER NO. R47 SEX ♀ AGE ad(?) TOE CLIP# 9

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 68

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0800 CLOUDS(% overcast) 0

MOON - RELATIVE HUMIDITY(%) 30

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 35.3 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP 38.6 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on dune.

SPECIES UMA INORNATA TAG. NO. 148

CONTAINER NO. R4 SEX ♀ AGE ad. TOE CLIP# 10

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 85

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0810 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 35.3 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP 42.3 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in shade of creosote bush

SPECIES UMA INORNATA TAG. NO. 147

CONTAINER NO. R47 SEX ♀ AGE ad (?) TOE CLIP# 11

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 65

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0810 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 35.3 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP 42.2 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: in sun on dune

Dead on arrival at UCR

SPECIES UMA INORNATA TAG. NO. 148

CONTAINER NO. 48 SEX ♂ AGE ad. TOE CLIP# 12

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 75

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0835 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 24

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 35.3 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP 41.2 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade beneath creosote bush.

SPECIES UMA INORNATA TAG. NO. 149

CONTAINER NO. R7 SEX ♂ AGE ad. TOE CLIP# 13

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 102

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0840 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 24

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 35.3 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP 41.6 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: in shade of creosote bush

SPECIES UMA INORNATA TAG. NO. 150

CONTAINER NO. 84 SEX ♀ AGE ad(?) TOE CLIP# 14

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 70

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0850 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 24

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 35.3 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP 38.9 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in shade of creosote bush

SPECIES UMA INORNATA TAG. NO. 151

CONTAINER NO. R15 SEX ♂ AGE ad. TOE CLIP# 17

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 107

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0936 CLOUDS(% overcast) 0

MOON - RELATIVE HUMIDITY(%) 24

WIND DIRECTION S.W. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 35.3 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP 42.7 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun on dune

SPECIES UMA INORNATA TAG. NO. 152

CONTAINER NO. R45 SEX ♂ AGE imm TOE CLIP # 19

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 61

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 24

WIND DIRECTION S.W. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. ________ °C

AIR TEMP(30 in) 40.0 °C AIR TEMP(1 cm) 45.0 °C

SOIL SURFACE TEMP 54.5 °C CLOACAL TEMP 42.4 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ________ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of creosote bush

SPECIES UMA INORNATA TAG. NO. 153

CONTAINER NO. R26 SEX ♂ AGE ad. TOE CLIP # 20

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 114

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1008 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 24

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ________ °C

AIR TEMP(30 in) 40.0 °C AIR TEMP(1 cm) 45.0 °C

SOIL SURFACE TEMP 54.5 °C CLOACAL TEMP 44.0 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ________ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in partial shade of creosote bush

SPECIES UMA INORNATA TAG. NO. 154

CONTAINER NO. R23 SEX ♀ AGE ad TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 78

DATE Sept. 9, 1959 SPEEDOMETER 30698

LOCALITY 2 mi. N. of Palm Desert

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0830 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 39

WIND DIRECTION 0 ALTITUDE(ft.) 200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 45.4 °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 40 FEET

REMARKS: in sun on top of dune.

SPECIES *Uma inornata* TAG. NO. 155

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP # ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 84

DATE Sept. 7, 1959 SPEEDOMETER ______

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME ~1130 CLOUDS(% overcast) ______

MOON ______ RELATIVE HUMIDITY(%) ______

WIND DIRECTION ______ ALTITUDE(ft.) ______

WIND VELOCITY(mi/hr) ______ ROAD TEMP. ______ °C

AIR TEMP(30 in) ______ °C AIR TEMP(1 cm) ______ °C

SOIL SURFACE TEMP ______ °C CLOACAL TEMP ______ °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE ______ FEET

REMARKS: caught by Harry Cramer. No other data available.

SPECIES UMA INORNATA TAG. NO. 156

CONTAINER NO. R23 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 68

DATE SEP 9 1959 SPEEDOMETER 30698

LOCALITY 2 mi. N. of Palm Desert

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0845 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 39

WIND DIRECTION 0 ALTITUDE(ft.) 200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ________ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 45.4 °C CLOACAL TEMP 40.2 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ________ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 40 FEET

REMARKS: in sun on dune

SPECIES UMA INORNATA TAG. NO. 157

CONTAINER NO. R23 SEX ♂ AGE ad. TOE CLIP # 2

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 102

DATE SEP 9 1959 SPEEDOMETER 30701

LOCALITY 4 mi. N. of Palm Desert

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) 52

WIND DIRECTION N.E. ALTITUDE(ft.) 250

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 45.4 °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 60 FEET

REMARKS: in sun on dune behind house on Rio del Sol Road.

SPECIES UMA INORNATA TAG. NO. 158

CONTAINER NO. R50 SEX ♀ AGE ad. TOE CLIP # 3

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 82

DATE SEP 9 1959 SPEEDOMETER 30705

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 52

WIND DIRECTION N.E. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 34.6 °C AIR TEMP(1 cm) 37.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 41.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun on sand beneath creosote bush.

SPECIES UMA INORNATA TAG. NO. 159

CONTAINER NO. R50 SEX ♂ AGE ad. (?) TOE CLIP# 4

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 78

DATE SEP 9 1959 SPEEDOMETER 30705

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1010 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 52

WIND DIRECTION N.E. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 34.6 °C AIR TEMP(1 cm) 37.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG. NO. 160

CONTAINER NO. R50 SEX ♂ AGE ad. TOE CLIP# 5

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 103

DATE SEP 9 1959 SPEEDOMETER 30705

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1015 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) 50

WIND DIRECTION N.E. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 34.6 °C AIR TEMP(1 cm) 37.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 43.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun on sand near creosote bush.

SPECIES UMA INORNATA TAG. NO. 161

CONTAINER NO. R48 SEX ♂ AGE ad. TOE CLIP# 6

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 94

DATE SEP 9 1959 SPEEDOMETER 30705

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1025 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION N.E. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 34.6 °C AIR TEMP(1 cm) 37.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 41.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of creosote bush.

SPECIES UMA INORNATA TAG. NO. 162

CONTAINER NO. R48 SEX ♀ AGE ad. TOE CLIP# 7

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 81

DATE SEP [illegible] 69 SPEEDOMETER 30705

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION N.E. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 34.6 °C AIR TEMP(1 cm) 37.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 41.6 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 8 FEET

REMARKS: in center of creosote bush on ground.

SPECIES UMA INORNATA TAG. NO. 163

CONTAINER NO. R 8 SEX ♂ AGE imm. TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 55

DATE Oct. 20, 1959 SPEEDOMETER 33639

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 13

WIND DIRECTION S.E. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 43.5 °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun near creosote bush

SPECIES UMA INORNATA TAG. NO. 164

CONTAINER NO. R8 SEX ♀ AGE ad. TOE CLIP# 2

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 76

DATE Oct. 20, 1959 SPEEDOMETER 33639

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 13

WIND DIRECTION S.E. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 43.5 °C CLOACAL TEMP 38.5 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun beneath creosote bush

SPECIES UMA INORNATA TAG. NO. 165

CONTAINER NO. R 2 SEX ♂ AGE ad. TOE CLIP# 3

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 86

DATE Oct. 20, 1959 SPEEDOMETER 33639

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 13

WIND DIRECTION S.E. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 43.5 °C CLOACAL TEMP 40.2 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 18 FEET

REMARKS: in sun near creosote bush

SPECIES UMA INORNATA TAG. NO. 166

CONTAINER NO. R14 SEX ♀ AGE imm TOE CLIP# 4

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 62

DATE Oct. 20, 1959 SPEEDOMETER 33639

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1255 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 13

WIND DIRECTION S.E. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 1-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.5 °C AIR TEMP(1 cm) 36.0 °C

SOIL SURFACE TEMP 47.5 °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 4 FEET

REMARKS: in shade of creosote bush.

SPECIES UMA INORNATA TAG. NO. 167

CONTAINER NO. R27 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 72

DATE Nov. 9, 1959 SPEEDOMETER 34632

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1013 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) 25

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 28.4 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 4 FEET

REMARKS: in sun on sand

[illegible]

SPECIES UMA INORNATA TAG. NO. 168

CONTAINER NO. R8 SEX ♂ AGE ad. TOE CLIP # 4

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 77

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N. W. Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1005 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ________ °C

AIR TEMP(30 in) 22.6 °C AIR TEMP(1 cm) 25.5 °C

SOIL SURFACE TEMP 36.6 °C CLOACAL TEMP 38.8 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ________ °C

HABITAT CREOSOTE BUSH SCR

CHASE 10 FEET

REMARKS: under chilopsis linearis

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

SPECIES UMA INORNATA TAG. NO. 169

CONTAINER NO. R4 SEX ♂ AGE ad. TOE CLIP # 6

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 87

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1012 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ____ °C

AIR TEMP(30 in) 22.6 °C AIR TEMP(1 cm) 25.5 °C

SOIL SURFACE TEMP 36.6 °C CLOACAL TEMP 37.7 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: under Chilopsis linearis

SPECIES UMA INORNATA TAG. NO. 170

CONTAINER NO. R4 SEX ♂ AGE ad TOE CLIP# 7

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 100

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1035 CLOUDS(% overcast) 5

MOON - RELATIVE HUMIDITY(%) 35

WIND DIRECTION 0 ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. ______ °C

AIR TEMP(30 in) 27.0 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 45.2 °C CLOACAL TEMP 38.3 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: came out of sand under the base of a creosote bush.

SPECIES UMA INORNATA TAG. NO. 171

CONTAINER NO. B46 SEX ♀ AGE ad. TOE CLIP# 8

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 70

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. of Palm

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 27.0 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 45.2 °C CLOACAL TEMP 43.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: under *Chilopsis linearis*

SPECIES UMA INORNATA TAG. NO. 172

CONTAINER NO. B29 SEX ♂ AGE ad. TOE CLIP# 9

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 76

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1102 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION N.W. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 27.0 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 45.2 °C CLOACAL TEMP 36.9 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 1 FEET

REMARKS: in shade (under *Chilopsis linearis*) that was broken.

SPECIES UMA INORNATA TAG. NO. 173

CONTAINER NO. 829 SEX ♀ AGE ad. TOE CLIP# 10

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 78

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1115 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) 27

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.0 °C AIR TEMP(1 cm) 30.5 °C

SOIL SURFACE TEMP 41.0 °C CLOACAL TEMP 35.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 40 FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG. NO. 174

CONTAINER NO. 848 SEX ♀ AGE ad. TOE CLIP# 11

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 74

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1150 CLOUDS(% overcast) 5

MOON – RELATIVE HUMIDITY(%) 22

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.0 °C AIR TEMP(1 cm) 30.5 °C

SOIL SURFACE TEMP 41.0 °C CLOACAL TEMP 25.8 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 25 FEET

REMARKS: in broken shade beneath creosote bush.

SPECIES UMA INORNATA TAG. NO. 175

CONTAINER NO. R27 SEX ♂ AGE ad. TOE CLIP# 12

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 103

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1200 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) 20

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.0 °C AIR TEMP(1 cm) 30.5 °C

SOIL SURFACE TEMP 41.0 °C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: in sun on open sand

SPECIES UMA INORNATA TAG. NO. 176

CONTAINER NO. B29 SEX ♂ AGE imm (?) TOE CLIP# 13

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 64

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1207 CLOUDS(% overcast) 5

MOON – RELATIVE HUMIDITY(%) 20

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 27.5 °C AIR TEMP(1 cm) 31.5 °C

SOIL SURFACE TEMP 44.4 °C CLOACAL TEMP 37.5 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: in sun on open sand

SPECIES UMA INORNATA TAG. NO. 177

CONTAINER NO. R27 SEX ♂ AGE ad. TOE CLIP# 14

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 97

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1225 CLOUDS(% overcast) 5

MOON - RELATIVE HUMIDITY(%) 20

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 27.5 °C AIR TEMP(1 cm) 31.5 °C

SOIL SURFACE TEMP 44.4 °C CLOACAL TEMP 36.9 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in broken shade under creosote bush

SPECIES UMA INORNATA TAG. NO. 178

CONTAINER NO. ____ SEX ♀ AGE ad. TOE CLIP # 15

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 73

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1355 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) 20

WIND DIRECTION N.W. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 6-9 ROAD TEMP. ____ °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 32.6 °C

SOIL SURFACE TEMP 47.8 °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 8 FEET

REMARKS: in shade of creosote bush

SPECIES UMA [illegible]NATA TAG. NO. 179

CONTAINER NO. R 22 SEX ♀ AGE ad. TOE CLIP # 16

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 75

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1415 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 20

WIND DIRECTION N.W. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 6-9 ROAD TEMP. ______ °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 32.6 °C

SOIL SURFACE TEMP 47.8 °C CLOACAL TEMP 33.2 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: in shade of creosote bush

SPECIES UMA INORNATA TAG. NO. 180

CONTAINER NO B28 SEX ♀ AGE ad. TOE CLIP # 17

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 82

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1435 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 20

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 6-9 ROAD TEMP. ______ °C

AIR TEMP(30 in) 28.8 °C AIR TEMP(1 cm) 31.2 °C

SOIL SURFACE TEMP 43.6 °C CLOACAL TEMP 37.5 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sand beneath creosote bush

Slightly enlarged post-anal scales.

SPECIES *Uma inornata* TAG. NO. 181

CONTAINER NO. R8 SEX ♂ AGE ad. TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 95

DATE Mar. 28, 1960 SPEEDOMETER 34600

LOCALITY 3 mi. N. of Rancho Mirage

COUNTY Riverside CALIF.

STANDARD TIME 1405 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) 35

WIND DIRECTION S. W. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 12-18 ROAD TEMP. ______ °C

AIR TEMP(30 in) 23.6 °C AIR TEMP(1 cm) 28.0 °C

SOIL SURFACE TEMP 39.8 °C CLOACAL TEMP 37.5 °C

ROCK SURFACE TEMP ? °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 20 FEET

REMARKS: in sun on lee side of accretion dune at base of creosote bush.

SPECIES UMA INORNATA TAG. NO. 182

CONTAINER NO. 89 SEX ♂ AGE imm. TOE CLIP # 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 56

DATE April 14, 1960 SPEEDOMETER 35226

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1040 CLOUDS(% overcast) 95 (thin)

MOON — RELATIVE HUMIDITY(%) 52

WIND DIRECTION S. W. ALTITUDE(ft.) ~~1000~~ 1100

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.4 °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP 35.4 °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun on open sand

SPECIES UMA INORNATA TAG. NO. 183

CONTAINER NO. R41 SEX ♂ AGE ad. TOE CLIP # [redacted] 2

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 116

DATE APR 14 1960 SPEEDOMETER 35226

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1050 CLOUDS(% overcast) 80 (Thin)

MOON ⌣ RELATIVE HUMIDITY(%) 52

WIND DIRECTION S.W. ALTITUDE(ft.) ~~[illegible]~~ 1100

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.4 °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP 35.4 °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun on open sand

SPECIES UMA INORNATA TAG. NO. 184

CONTAINER NO. 841 SEX ♂ AGE ad. TOE CLIP # 3

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 80

DATE APR 14 1960 SPEEDOMETER 35226

LOCALITY 3 mi N. W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1105 CLOUDS(% overcast) 80 (thin)

MOON —— RELATIVE HUMIDITY(%) 52

WIND DIRECTION S. W. ALTITUDE(ft.) ~~800~~ 1100

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. ____ °C

AIR TEMP(30 in) 26.4 °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP 35.4 °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in shade of Larrea

SPECIES UMA INORNATA TAG. NO. 185

CONTAINER NO. Y5 SEX ♂ AGE ad. TOE CLIP # 4

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 78

DATE APR 14 1960 SPEEDOMETER 35226

LOCALITY 3 mi N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1106 CLOUDS(% overcast) 80 (Thin)

MOON — RELATIVE HUMIDITY(%) 52

WIND DIRECTION S.W. ALTITUDE(ft.) ~~600~~ 1100

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. ______ °C

AIR TEMP(30 in) ~~26.4~~ °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP 35.4 °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: in shade of Larrea

SPECIES UMA INORNATA TAG. NO. 186

CONTAINER NO. R6 SEX ♀ AGE ad. TOE CLIP # 5

WEIGHT(gms) ________ SNOUT-VENT LENGTH(mm) 82

DATE Apr 14 1960 SPEEDOMETER 35226

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1200 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION S.W. ALTITUDE(ft.) ~~600~~ 1100

WIND VELOCITY(mi/hr) 16-26 ROAD TEMP. ________ °C

AIR TEMP(30 in) 27.5 °C AIR TEMP(1 cm) 28.5 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 36.6 °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ________ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 4 FEET

REMARKS: in shade of Larrea divericata

SPECIES UMA INORNATA TAG. NO. 187

CONTAINER NO. F742 SEX ♀ AGE ad. TOE CLIP# 6

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 70

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1322 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION S.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.2 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 54.0 °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 3 FEET

REMARKS: in shade of Larrea divericata

SPECIES UMA INORNATA TAG. NO. 188

CONTAINER NO. R [redacted] SEX ♂ AGE ad. TOE CLIP# 7

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 78

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1345 CLOUDS(% overcast) 30

MOON —— RELATIVE HUMIDITY(%) 50

WIND DIRECTION S. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. ______ °C

AIR TEMP(30 in) 32.2 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 54.0 °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun on sand

SPECIES UMA INORNATA TAG. NO. 189

CONTAINER NO. R 16 SEX ♀ AGE ad. TOE CLIP# 8

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 87

DATE APR 1? 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1545 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. ______ °C

AIR TEMP(30 in) 31.6 °C AIR TEMP(1 cm) 34.4 °C

SOIL SURFACE TEMP 45.8 °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: under Larrea divericata

SPECIES UMA INORNATA TAG. NO. 190

CONTAINER NO. Y10 SEX ♀ AGE ad. ? TOE CLIP# 9

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 67

DATE APR 14 1960 SPEEDOMETER 35334

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1620 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 8-12 ROAD TEMP. ______ °C

AIR TEMP(30 in) 30.3 °C AIR TEMP(1 cm) 32.6 °C

SOIL SURFACE TEMP 39.4 °C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun on open sand

SPECIES UMA INORNATA TAG. NO. 191

CONTAINER NO. R15 SEX ♀ AGE ad. TOE CLIP# 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 80

DATE April 28, 1960 SPEEDOMETER 35750

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0955 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15-20 ROAD TEMP. ______ °C

AIR TEMP(30 in) 20.8 °C AIR TEMP(1 cm) 21.2 °C

SOIL SURFACE TEMP 31.8 °C CLOACAL TEMP 31.8 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun on open sand, in slight depression out of main force of wind.

SPECIES UMA INORNATA TAG. NO. 192

CONTAINER NO. Y2 SEX ♂ AGE ad. TOE CLIP# 2

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 84

DATE April 28, 1960 SPEEDOMETER 35750

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1200 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 20-25 ROAD TEMP. ______ °C

AIR TEMP(30 in) 21.5 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP 36.0 °C CLOACAL TEMP 34.7 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in broken shade beneath Larrea divericata.

SPECIES UMA INORNATA TAG. NO. 193

CONTAINER NO. R46 SEX ♂ AGE ad. TOE CLIP# 3

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 83

DATE April 28, 1960 SPEEDOMETER 35750

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1220 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) -

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 20 - 25 ROAD TEMP. ______ °C

AIR TEMP(30 in) 21.5 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP 36.0 °C CLOACAL TEMP 36.6 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 1 FEET

REMARKS: in broken shade beneath Larrea diverricata.

SPECIES UMA INORNATA TAG. NO. 194

CONTAINER NO. R35 SEX ♀ AGE ad ? TOE CLIP# 4

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 79

DATE April 28, 1960 SPEEDOMETER 35750

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1305 CLOUDS(% overcast) 10

MOON - RELATIVE HUMIDITY(%) -

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 20-25 ROAD TEMP. ______ °C

AIR TEMP(30 in) 22.0 °C AIR TEMP(1 cm) 31.5 °C

SOIL SURFACE TEMP 46.2 °C CLOACAL TEMP 37.5 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: in broken shade beneath Larrea diuericata

SPECIES UMA INORNATA TAG. NO. 195

CONTAINER NO. Y1 SEX ♂ AGE ad TOE CLIP# 109

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) ______

DATE April 28, 1960 SPEEDOMETER 35750

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1310 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) –

WIND DIRECTION N. W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15-20 ROAD TEMP. ______ °C

AIR TEMP(30 in) 22.0 °C AIR TEMP(1 cm) 31.5 °C

SOIL SURFACE TEMP 46.2 °C CLOACAL TEMP 37.6 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: in broken shade beneath Larrea divericata. 3 "granddaddys" in same bush — 2 caught.

SPECIES UMA INORNATA TAG. NO. 196

CONTAINER NO. R 30 SEX ♂ AGE ad. TOE CLIP# [illegible] 111

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) ______

DATE April 28, 1960 SPEEDOMETER 35750

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1310 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15-20 ROAD TEMP. ______ °C

AIR TEMP(30 in) 22.0 °C AIR TEMP(1 cm) 31.5 °C

SOIL SURFACE TEMP 46.2 °C CLOACAL TEMP 38.5 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: in open sand in sun, 3 "granddaddys" in same Larrea diviricata — 2 caught.

SPECIES UMA INORNATA TAG. NO. 197

CONTAINER NO. R32 SEX ♀ AGE ad. TOE CLIP# 7

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 88

DATE April 28, 1960 SPEEDOMETER 35750

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1325 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15-20 ROAD TEMP. ______ °C

AIR TEMP(30 in) 22.0 °C AIR TEMP(1 cm) 31.5 °C

SOIL SURFACE TEMP 46.2 °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun on open sand

Red on sides

SPECIES *Uma inornata* TAG. NO. 198

CONTAINER NO. R5 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 102

DATE May 9, 1960 SPEEDOMETER 36190

LOCALITY 6 mi. W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 1240 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. ______ °C

AIR TEMP(30 in) 35.0 °C AIR TEMP(1 cm) 39.4 °C

SOIL SURFACE TEMP 53. [illegible] °C CLOACAL TEMP 38.6 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT creosote bush scrub

CHASE 1 FEET

REMARKS: in shade of Larrea divericata

SPECIES ...ORNATA TAG. NO. 199

CONTAINER NO. Y5 SEX ♂ AGE Ad TOE CLIP# ______

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 92

DATE MAY 1 4 1960 SPEEDOMETER ______

LOCALITY 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0925 CLOUDS(% overcast) 0

MOON —— RELATIVE HUMIDITY(%) ——

WIND DIRECTION N. W. ALTITUDE(ft.) 400

WIND VELOCITY(mi/hr) 12–15 [redacted] ROAD TEMP. ______ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.2 °C

SOIL SURFACE TEMP 40.4 °C CLOACAL TEMP —— °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT ...SOTE BUSH SCRUB

CHASE ______ FEET

REMARKS:

SPECIES UMA INORNATA TAG. NO. 200

CONTAINER NO. Y10 SEX ♂ AGE Ad TOE CLIP# [illegible]

WEIGHT(gms) ______ SNOUT-VENT LENGTH(mm) 108

DATE 14 May 1960 SPEEDOMETER 32075

LOCALITY 1 mi S. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1025 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 10-20 ROAD TEMP. ______ °C

AIR TEMP(30 in) 25 °C AIR TEMP(1 cm) 30 °C

SOIL SURFACE TEMP 41.5 °C CLOACAL TEMP 39.4 °C

ROCK SURFACE TEMP ______ °C SUBSTRATE TEMP ______ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: Ran off road. Buried in side of dune